LIFECARE CHIROPRACTIC	Thank you for selecting our hyperbaric team! We will strive to provide you with the best possible service. To help us meet all of your needs, please fill out this form completely in ink. If have any questions or need assistance, please ask us. We will be happy to help.				
Patient Information CONTINUE	ONLY IF:				
Not currently prescribed or taking medication Bleomycin, Disulfiram, Mafe					
Do not have or suspect having:  Hereditary Sperocytosis, Sick	kle Cell Anemia, CO	PD	Date	e	
Name:	· ·				
Address Birth:					
City:	_State	Zip Code:			
Home Phone:	Cell Phone:		Work Phone:		
Email Address:					
Check Appropriate Box: ☐ Minor ☐ S	Single   ☐ Married	□ Divorced	□ Widowed	□ Separated	
If Minor, Parent or Legal Guardian:					
Spouse's Name:					
Home Phone: Cell F	hone	Work Phon	e:		
Person to Contact in Case of Emergency:		Ph	one:		
What Is Your Primary Reason for Coming to L.	ifecare Chiropractic?				
Who May We Thank for Referring You?					
<b>Physician Information</b>					
Are You Currently Under a Doctor's Care?	□ Yes □ No				
Physician's Name					
Address:					
City:			n Code:		
Phone:			•		
Thone.	1 ux.				

<b>Patient Medical History</b>											
Are you under medical treatment of 2. Do you exercise on a regular batter of so, how often?	asis?		Yes	No	If no. how 6 Are ye pregnant" If so, how	many week	t or	think you may be	Yes	No	
4. Have you ever been hospitalize operation or serious illness within if yes. please explain.					period? 7. Are you	u taking any	medi				
8. List any medications you are all	lergic to:			-							
9. Do you have or have you had any		llowing	?								
	Yes	No				Yes	No			Yes	No
Acute Respiratory illness			Frequen	t Ear info	ections			Mitral Valve Prola	ose		
AIDS or HIV Infection			_	tly Tired				Neurological Disea			
Anemia			Glaucor					Radiation Therapy	.50		
	<del></del>				ai.a			If yes when?		Ш	Ш
Angina				ver: Aller						_	_
Anxiety			-	s/Jaundio	ce			Recent Weight Los			
Arthritis			Heart A					Respiratory Proble	ms		
Asthma			Heart D	isease				Rheumatic Fever			
Back Pain			Heart M	Iurmur				Ringing in the Ears			
Cancer			Heart Pr	roblems				Rosacea			
Chemical Sensitivity			Herpes					Seizure Disorders			
Chest Pains			High W	ood Pres	sure			Stomach Problem	Jlcers		
Chronic Bronchitis				ns. Frequ				Stroke			
Chronic Fatigue (CF.S7			Kidney	_				Swollen Ankles			
Claustrophobia			Leukem					Thyroid Problems			
Diabetes — Insulin Dependant			Liver D					Tuberculosis			
Emphysema Emphysema				ood Press	nire			Other			
Fainting: Seizures			Lung D		suic	_		Other		_	
			_		7					_ 🛚	
Fever Related seizures Fibromyalgia			_	jection. I ant Disea	-					🗆	
Yes No  10. Have you ever had any ear problems?  11. Do you have any problems with your ears when you fly?  12. Do you have any problems going up and down in an elevator?  13. Do you have back problems? Patient Comments:											
I certify that I have read and under authorize the release of any medic understand it is my responsibility to and physician contact information.  Signature of patient (parent or good Doctor's Comments.	cal Inform update th l agree to	nation fro is inform be respo	om my c nation as	hart to a needed. [	ny physicia <u>Fhis include</u> nt of all serv	n or physic s changes in	ians v <u>medi</u> ed on	who may be involved cal conditions/diagnor any or my dependents	in my me	edical trea	tment <u>I</u>

## mild Hyperbaric Therapy Consent Form

The technology, known as mild Hyperbaric Therapy (mHBT), has been reported to have beneficial effects for a wide range of conditions, without negative side effects. Nevertheless, as with many treatments, there are areas of concern which you should be aware. It is important that you take a few minutes to read the following information.

OTIC BAROTRAUMA: Is a condition of injury to the eardrum, and is extremely unlikely to occur in the mild hyperbaric chamber. However, severe ear discomfort can be caused if you cannot equalize the pressure in your ears. As the chamber is pressurized and depressurized you must be able to equalize the pressure in your ears to acclimate to the pressure changes. You will most likely experience "popping" in your ears. This is normal. You can assist the equalization process by yawning, chewing, swallowing, working your jaw side to side and up and down, turning the head side to side and ear to shoulder. Sitting upright in the chamber during pressurization and depressurization will generally also make the equalization process more comfortable. In general, doing whatever assists you being comfortable when taking off and landing in a plane may be most effective for you. Continue to do this as needed for the duration of pressurization and depressurization. When the chamber reaches full pressure and again when the chamber is completely deflated there should be no additional pressure in the ears. IF YOU ARE UNABLE TO EQUALIZE EAR PRESSURE AND EXPERIENCE PAIN IN ONE OR BOTH EARS, IT IS CRITICAL THAT YOU COMMUNICATE ANY DISCOMFORT IMMEDIATELY TO THE STAFF. This will give us the opportunity to make adjustments in the pressurization or depressurization process to eliminate discomfort. If you are unable to equalize the pressure in your ears the visit will be immediately terminated. If this happens or if pain persists beyond the visit, we recommend that you consult your physician to evaluate and alleviate the situation before attempting another visit.

EAR, SINUS AND/OR THROAT CONGESTION, HEAD COLDS, VIRUS OR PRIOR TRAUMA TO THE EARS: You may consider rescheduling your visit in the chamber if you are suffering from any of these conditions. Discomfort from these conditions is less frequent but may occur. IF YOU ARE UNABLE TO EQUALIZE EAR PRESSURE AND EXPERIENCE PAIN IN ONE OR BOTH EARS, IT IS CRITICAL THAT YOU COMMUNICATE ANY DISCOMFORT IMMEDIATELY TO THE STAFF so we can assist you or terminate your visit. We recommend you consult your physician in order to alleviate the underlying condition before attempting another visit.

**PULMONARY HYPEREXPANSION:** This condition is very rare under mild hyperbaric treatments. However, to be overly cautious, **HOLDING YOUR BREATH DURING DECOMPRESSION MUST BE AVOIDED** as it could lead to expansion of the air in your lungs and damage to the lung tissues. In the highly unlikely event of an unexpected rapid decompression, it is critical that you exhale immediately.

MEDICATIONS: mild Hyperbaric Therapy may enhance the effectiveness or increase the metabolism (decrease the effectiveness) of any medication you are taking. IT IS RECOMMENDED THAT YOU HAVE THE DOSAGE AND FREQUENCY OF ALL MEDICATIONS MONITORED AND ADJUSTED REGULARLY BY YOUR PHYSICIAN.

**PREGNANCY: MILD HYPERBARIC THERAPY IS NOT ALLOWED DURING THE FIRST TRIMESTER.** After this time it may be beneficial to both mother and child.

NITIALS
NITIALS

**SEIZURES**: mild Hyperbaric Therapy is not associated with causing or inducing seizures. To be on the cautious side we have established a seizure protocol that involved reaching full pressure (4.2psi) and spending full treatment time (standard 1 hour) in the chamber over a series of staged visits. **IF ANYONE IN GETTING IN THE CHAMBER IS SEIZURE PRONE, THE STAFF MUST BE MADE AWARE PRIOR TO THE FIRST VISIT**. If a seizure is experienced in our clinic, unless otherwise instructed (and a waver is signed), our procedure is to call 911, remove the patient from the chamber and make the individual as comfortable as possible.

DETOXIFYING OR CELL DIEOFF: mild Hyperbaric Therapy may assist the body to naturally detoxify and balance digestive flora. AN INDIVIDUAL MAY EXPERIENCE SOME DISCOMFORT FROM THIS PROCESS IN AS LITTLE AS 1 TO 36 HOURS AFTER TREATMENT. Symptoms may include; flu like symptoms, loss of appetite, stomach ach, constipation, diarrhea, headache, behavioral issues etc. Although unpleasant, this is a natural process and continuing treatments may be of benefit to more rapidly accomplish a positive result. However, IF SYMPTOMS PERSIST, WE RECOMMEND CONSULTING YOUR PHYSICIAN TO EVALUATE AND ALLEVIATE THE SITUATION BEFORE ATTEMPTING ANOTHER VISIT.

PNEUMOTHORAX: mild Hyperbaric Therapy is contraindicated for an existing pneumothorax (collapsed lung). IF YOU HAVE A PNEUMOTHORAX OR SUSPECT THAT A PNEUMOTHORAX IS AN ISSUE, YOU WILL NOT BE ALLOWED IN THE CHAMBER UNTIL YOU/WE RECEIVE A DOCTOR'S CLEARANCE. If you have experienced a pneumothorax in the past and have already been 'Veered from your doctor" to resume normal activity, once you have provided a written confirmation you should be able to proceed with mild Hyperbaric Therapy you should be able to proceed with mild Hyperbaric Therapy.

COMPRESSIVE BRAIN LESIONS - SUBDURAL HEMATOMA, INTERCRANIAL HEMATOMA: mild Hyperbaric Therapy is contraindicated for existing compressive brain lesions (subdural hematoma, intercranial hematoma). IF YOU HAVE COMPRESSIVE BRAIN LESIONS OR SUSPECT THAT COMPRESSIVE BRAIN LESIONS ARE AN ISSUE, YOU WILL NOT BE ALLOWED IN THE CHAMBER UNTIL YOU/WE RECEIVE A DOCTOR'S CLEARANCE. If you have experienced compressive brain lesions in the past and have already been "cleared from your doctor" to resume normal activity, once you have provided a written confirmation you should be able to proceed with mild Hyperbaric Therapy.

**DIABETES / INSULIN DEPENDANT:** Insulin dependency may result in a drop in blood sugar while in the chamber. **IT IS CRITICAL THAT YOU IMMEDIATELY COMMUNICATE TO THE STAFF IF YOU EXPERIENCE OR ANTICIPATE AN EPISODE. YOUR TREATMENT WILL BE TERMINATED.** You are required to; A) take a blood sugar reading prior to your treatment (if below 150, you must have a snack prior to treatment) and again after your treatment (if below 150, you must have a snack prior to leaving). B) Take a protein bar and a juice box (or whatever you use if (aced with a "drop" in the normal management of your condition) into the chamber with you.

SENSITIVITY TO CHEMICALS (MCS) / ODORS / ALLERGY: Avoid wearing heavy colognes as the smells may linger in the chamber and have an adverse effect on another patient. IF YOU EXPERIENCE ADVERSE SENSITIVITY OR HAVE ALLERGIES THAT MAY BECOME AGGRAVATED WHILE IN THE CHAMBER, LET THE STAFF KNOW PRIOR TO YOU VISIT OR AS SOON AS POSSIBLE WHEN IN THE CHAMBER SO MEASURES CAN BE TAKEN TO ASSURE YOUR COMFORT OR IF YOUR VISIT NEEDS TO BE TERMINATED. We recommend that you wearing a charcoal mask or filter if it is known to assist your condition. If these sensitivities persist and you cannot exist comfortably in the chamber, you will need to consult your physician in order to alleviate the underlying condition before attempting another visit.

I have read and fully understand the above information.

Signature Da	te:/		
--------------	------	--	--

## PRIVATE LICENSE

The undersigned hereby grants a Private License to Lifecare Chiropractic to provide mild hyperbaric therapy to the undersigned. The undersigned acknowledges that Lifecare Chiropractic and its agents do not diagnose neither prescribe for medical or psychological conditions nor claim to prevent, treat, nor cure any condition. Its agents do not provide diagnosis, care, treatment or rehabilitation of individuals, nor does Lifecare Chiropractic or its agents apply medical, mental health or human development principles, but rather provides mild hyperbaric therapy technology that may benefit.

The undersigned acknowledges giving Informed Consent to the services that will be provided.

The undersigned hereby releases Lifecare Chiropractic and its agents from all claims and liabilities arising from the use or misuse of hyperbaric therapy indemnifying and holding Institute and its agents harmless from all claims and liabilities wherefrom, whatsoever. The Institute and its agents reserve all rights.

In the unlikely event that the client has a dispute with Lifecare Chiropractic, the client agrees that the dispute shall be settled by arbitration through the Better Business Bureau of Metropolitan Atlanta.

I (print name) \_\_\_\_\_\_ have read, fully understand and consent to treatments in the mild hyperbaric chamber. I have also completed the health questionnaire which accompanies this consent form, and I agree to hold Lifecare Chiropractic harmless from blame regarding hyperbaric therapy services provided by Lifecare Chiropractic.

Although mild hyperbaric therapy has been reported to be beneficial for a wide range of conditions, this therapy is not meant as a cure for any condition or disease and no therapeutic outcomes can be guaranteed. We do not in any way recommend hyperbaric therapy as a substitute for any medical treatments prescribed or suggested by any medical physician. We do not make any guarantees to any results that an individual may experience. We are NOT medical practitioners. We do not accept insurance for our services

Signature	Date://
-----------	---------